

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

Claims 1-6. (Canceled)

7. (Currently Amended) An image display system including a photographing apparatus, and an image processing apparatus connectable to said photographing apparatus, the image display system, comprising:

*cl
cont* a mode setting unit for selectively switching said photographing apparatus ~~into and out of a photographing mode~~ between a photographing mode for taking a photographing action and a reproduction mode for displaying a recorded image;

a display for displaying an indicator through which an instruction for a photographing action is transmitted to said photographing apparatus; and

a controller for showing a photographed image display window to be displayed on said display when the photographing mode has been selected by said mode setting unit, and the object is photographed by said photographing apparatus in response to the instruction from said indicator.

8. (Currently Amended) A method for displaying image data taken by a photographing apparatus, the method including the steps of:

~~selectively placing~~ switching the photographing apparatus in from a reproduction mode to a photographing mode;

displaying an indicator for transmitting an instruction of a photographing action to the photographing apparatus; and

displaying an image display window when the photographing mode has been selected, and the photographing action is taken by the photographing apparatus in response to the instruction.

9. (Currently Amended) An image processing apparatus connectable to a photographing apparatus, comprising:

an interface for connecting said image processing apparatus to said photographing apparatus;

Cont a display ~~for displaying a window showing said photographing apparatus and an indicator~~ which can display a plurality of windows and function indicators based on data processed by said image processing apparatus, wherein one of said windows shows said photographing apparatus and an indicator for transmitting a power-off instruction to said photographing apparatus in order to turn off the power source of said photographing apparatus; and

a controller for minimizing the window showing said photographing apparatus when the power-off instruction has been transmitted from the said indicator for turning off the power of said photographing apparatus ~~displayed on said display~~.

10. (Original) The image processing apparatus according to claim 9, wherein said window displayed on said display is closed when said photographing apparatus is disconnected from said image processing apparatus.

11. (Currently Amended) A method for controlling a photographing apparatus, the method including the steps of:

opening a window showing components of said photographing apparatus;

displaying as one of said components an indicator for transmitting a power-off instruction for turning off the power source of said photographing apparatus; and

minimizing the window to an iconic state when the power-off instruction has been transmitted from the indicator.

12. (Canceled)

Chit

13. (Currently Amended) A program product on a recording medium executable by a computer, wherein the program selectively places switches a photographing apparatus connected to the computer ~~into~~ between a reproduction mode and a photographing mode; displays an indicator for generating an instruction for a photographing action of the photographing apparatus on the computer; and displays a window for showing a photographed image on the computer when the photographing action has been taken in response to the instruction from the indicator.

14. (Currently Amended) A program product on a recording medium executable by a computer, wherein the program opens a window showing a photographing apparatus connected to the computer; displays an indicator for generating a power-off instruction for turning off the power source of the photographing apparatus; and minimizes the window to an iconic state when the

indicator has been actuated to generate the power-off instruction ~~has been~~
~~generated by the indicator.~~

Chen

15. (New) The image processing apparatus of claim 9, wherein said one window displays multiple components of said photographing apparatus, and the minimized window comprises an iconic representation of said photographing apparatus.
